






HW

Steel

Chop Saw Blades HW for metal - neutral hook angle flat tooth with alternating chamfer

<p>Product</p> 	<p>Drawing</p> 	<p>Machine</p> 	<p>Application</p> 	<p>Design</p> <ul style="list-style-type: none"> <li style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">F-WFA <li style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">3-0-1 <li style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">HW TCm13 <li style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">
--	---	--	--	---

<p>Machine / Application</p> <ul style="list-style-type: none"> • dry-cut machines • universal metal-cut machines • for dividing and miter cuts in composite materials, metal sheets, plastics, NF-metals, cable ducts, profiles, SML-tubes, etc. 	<p>Design</p> <ul style="list-style-type: none"> • tooth configuration: flat with alternating chamfer "F-WFA" • cutting material: HW TCm13 	<p>Advantages</p> <ul style="list-style-type: none"> • dry cut • excellent cutting quality 	<p>Notes</p> <ul style="list-style-type: none"> • recommended RPM: • Ø254 = 1750 min-1 • Ø305 = 1500 min-1 • Ø330 = 1350 min-1 • Ø355 = 1250 min-1
--	--	--	---

Product features								Order information			
Ø D [mm]	B [mm]	b [mm]	Ø d [mm]	Z	Cutting quality* NL**	Hook angle [°]		PU [pc.]	L	Order-No.	
254	2,2	1,8	30	60	▲▲	Combi3	0	1		58805861	
305	2,2	1,8	25,4	60	▲▲		0	1		58805862	
305	2,2	1,8	25,4	80	▲▲		0	1		58805863	
305	2,2	1,8	30	80	▲▲▲	Combi3	0	1		58805864	
320	2,2	1,8	25,4	84	▲▲▲		0	1		58805859	
330	2,2	1,8	30	90	▲▲▲	Combi3	0	1		58805865	
355	2,2	1,8	25,4	80	▲▲▲		0	1		58805866	
355	2,2	1,8	25,4	90	▲▲▲		0	1		58805868	
355	2,2	1,8	30	90	▲▲▲	Combi3	0	1		58805867	

* cutting quality: ▲ very rough cut ▲▲ rough cut, ▲▲▲ fine cut ▲▲▲▲ very fine cut

** pin holes: Combi1 matches 2/10/60 and 2/7/42 Combi3 matches 2/10/60 and 2/9/46 and 2/9,5/46,5 and 2/7/42

For suitable reducing rings see chapter CONSTRUCTION/Saws/Reducing Rings