

HW


Parat - negative (HKS)

Universal Saw Blade HW - negative hook angle triple chip / flat

Product



Drawing



Machine



Application



Design

TR-F
1-0-1
HW
TC10

Machine / Application

- clipping and miter saws
- portable saws
- for many applications and materials (wood-based panels and NF-materials)

Design

- negative hook angle
- tooth configuration: triple chip / flat "TR-F"
- cutting material: HW TC10

Advantages

- negative hook angle for high cutting quality and safe handling

Notes

Product features

Order information

Ø D [mm]	B [mm]	b [mm]	Ø d [mm]	Z	Cutting quality* NL**	Hook angle [°]	PU [pc.]	L	Order-No.
100	2,8	2,2	20	30	▲▲	2/6/32,5	-6	1	o 58115037
130	2,8	2,2	20	36	▲▲		-6	1	o 58115027
150	2,8	2,2	20	42	▲▲	2/6/32,5	-6	1	58115002
160	2,2	1,6	20	42	▲▲	2/6/32,5	-6	1	58115004
160	2,2	1,6	20	56	▲▲▲	2/6/32,5	-6	1	58115042
160	2,8	2,2	30	42	▲▲	2/7/42	-6	1	58115026
165	2,4	1,6	20	48	▲▲	2/6/32,5	-6	1	o 58115044
180	2,8	2,2	20	48	▲▲	2/6/32,5	-6	1	58115007
180	2,8	2,2	30	48	▲▲	2/7/42	-6	1	58115008
190	2,8	2,2	20	54	▲▲	2/6/32,5	-6	1	58115009
190	2,6	2,0	20FX	58	▲▲	Fast-Fix	-6	1	o 58115033
190	2,8	2,2	30	54	▲▲	2/7/42	-6	1	58115010
200	2,8	2,2	30	54	▲▲	2/7/42	-6	1	58115011
210	2,8	2,2	30	54	▲▲	2/7/42	-6	1	58115012
216	2,8	2,2	30	60	▲▲	2/7/42	-6	1	58115024
216	2,8	2,2	30	80	▲▲▲	2/7/42	-6	1	58115034
220	2,8	2,2	30	54	▲▲	2/7/42	-6	1	58115021
225	2,8	2,2	30	60	▲▲	Combi3	-6	1	58115039
230	2,8	2,2	30	64	▲▲	2/7/42	-6	1	58115014

* cutting quality: ▲ very rough cut ▲▲ rough cut, ▲▲▲ fine cut ▲▲▲▲ very fine cut

** pin holes: Combi1 matches 2/10/60 and 2/7/42 Combi3 matches 2/10/60 and 2/9/46 and 2/9,5/46,5 and 2/7/42

For suitable reducing rings see chapter CONSTRUCTION/Saws/Reducing Rings